





Working together for success



Enhancing Lives Together

Express, as you know it, has been renovated

Express became available in 2003 and since then, nutritional recommendations and guidelines for those with metabolic disorders, have been updated⁽¹⁻⁸⁾. Therefore, express was in need of a renovation.

It now offers more than it ever has before; a new name, a new look and an updated nutritional profile.





Discrete non-medical packaging. Fits into your patient's everyday life so they won't stand out!

Express plus looks just like a shake their friends or colleagues may drink.

We've reduced colour from the packaging to make it more environmentally friendly.

Express plus is colour-coded by disorder to ensure the correct product gets to your patient every time.



Updated nutritional profile

The nutritional composition has been updated, in line with the latest nutrient recommendations⁽¹⁾, so you can be confident your patients' daily nutritional requirements are met, without the need for additional supplementation.

So much more than a protein substitute

Incorporation of starch

To improve consistency and mouthfeel when reconstituted as a semi-solid, aiding the transition from a spoonable second stage protein substitute (PS) to an age appropriate PS.



60g PE provides 30µg Vit D

Increased vitamin D

In line with EFSA and SACN guidelines^(9, 10).

Addition of Docosahexaenoic acid (DHA), a source of omega 3

DHA is limited in a protein restricted diet, so we have included DHA to ensure your patients don't miss out⁽¹¹⁾.



express™ plus⁺



New raspberry flavour for the PKU range

Offering more choice to help prevent flavour fatigue.

Assists with transitioning patients from raspberry PKU explore/gel.

A range with your patients in mind

For many patients the convenience of a liquid protein substitute is key; but for those who require the flexibility of a powder product, Vitaflo™ has the ideal solution.

Product	For the dietary management of:	Free From [‡]	Flavour	Pack Size
	Phenylketonuria	Phenylalanine	Raspberry, orange, tropical, lemon and unflavoured	15g & 20g protein equivalent
Expression (MSUD)	Maple Syrup Urine Disease	Leucine, Isoleucine & Valine	Unflavoured	15g & 20g protein equivalent
HCU	Homocystinuria	Methionine	Unflavoured	15g & 20g protein equivalent
TYR Forest	Tyrosinemia	Phenylalanine & Tyrosine	Unflavoured	15g & 20g protein equivalent
GA	Glutaric Aciduria Type 1	Lysine Low Tryptophan	Unflavoured	15g protein equivalent
MIMA/PA	Methylmalonic Aciduria & Propionic Aciduria	Methionine, Threonine & Valine Low Isoleucine	Unflavoured	15g protein equivalent

All the features of a modern protein substitute



Colour-coded by disorder for safety

Helping to ensure the right product gets to the right patient every time.

Pre-measured sachets



Be confident an accurate amount of protein equivalent (PE) is consumed each time. Express plus offers convenience on the go with no weighing or measuring required. Lightweight and compact, making it easy to transport, store and use hygienically outside the home.

Maintains the core features of Vitaflo's product range



The added flexibility, convenience, and interchangeability of express plus with cooler and PKU air, allows the patient to select the most appropriate product to suit them, without compromising their nutritional intake.

Tailored protein equivalent (PE) intake

15g and 20g PE variants, allowing you to increase by 5g PE based on your patient's specific PE requirements.

Product for life

Suitable from 3 years of age. Once a patient is established on express plus, they don't have to switch again.



Full micronutrient profile

When express plus is consumed to meet age specific protein requirements, it also meets recommended micronutrient intakes that are restricted in a low protein diet⁽¹⁾. No need for further supplementation.

Make it. Shake it. Take it.

Individually tailored volume

Allowing patients the freedom to make up express plus to suit their individual needs and preferences. This allows for flexibility and helps support adherence.



‡ Specified amino acids have not been added to the product but may be present in trace amounts from other ingredients





Supporting materials for express plus



Recipe booklet includes easy ways for your patients to experiment with express plus using permitted flavours and ingredients.



Preparation videos including guidance on how to best prepare and mix express plus for the optimal patient experience.



Sample packs and flavour pacs allowing your patients to try all the express plus flavours and flavour pacs available for their disorder at home. A beaker is included.



Practical guide for healthcare professionals for express plus is available to download through VIA. Please visit **www.vitaflo-via.com** for more information.



Vitaflo to You home delivery service. You can register your patients, so they can receive their Vitaflo prescription products, free of charge, to an address of their choice in the UK including Northern Ireland.

References

- EFSA Dietary Reference Values for nutrients: Summary report. Update Sept 2019.
- Boy N et al., Proposed recommendations for diagnosing and managing individuals with glutaric aciduria type 1: second revision. Journal of inherited metabolic disease. 2017 Jan 1;40(1):75-101
- De Laet C et al., Recommendations for the management of tyrosinaemia type 1. Orphanet journal of rare diseases. 2013 Jan 11;8(1):1. Forny P et al., Guidelines for the diagnosis and management of methylmalonic acidaemia and propionic acidaemia : First revision. Journal of inherited metabolic disease 2021 Feb 1-27. 5. Frazier DM et al., Nutrition management guidelines for maple syrup urine disease: an evidence and consensus-based approach. Molecular genetics and metabolism. 2014 Jul 31;112(3):210-7
- 6 Morris et al., Guidelines for the diagnosis and management of cystathionine beta-synthase deficiency. Journal of inherited metabolic disease. 2017 Jan 1;40(1):49-74.
- Singh, R. H., et al. Recommendations for the nutrition management of phenylalanine hydroxylase deficiency. Genetics in Medicine 2014 16 (2): 121-131
- Wegberg et al., The complete European guidelines on phenylketonuria diagnosis and treatment. Orphanet journal of rare diseases. 2017 Dec, 12(1):162.
- 9. EFSA Panel on Dietetic Products, N. a. A. (2016). Dietary reference values for vitamin D. EFSA Journal. 14
- 10. SACN (2016). Vitamin D and Health report, Crown copyright 2016.
- 11. EFSA (2010). "Scientific Opinion on Dietary Reference Values for fats, including saturated fatty acids, polyunsaturated fatty acids, monounsaturated fatty acids, trans fatty acids, and cholesterol." EFSA Journal 8(3): 1461.

The information in this booklet is intended for Healthcare professionals only.

Express plus. ProZero and flavour pacs are Foods for Special Medical Purposes for the dietary management of proven inborn errors of protein metabolism. Use under medical supervision. Not suitable for use as a sole source of nutrition. Express plus and flavour pacs are suitable for use from 3 years of age. ProZero is suitable form 6 months onwards



Enhancing Lives Together A Nestlé Health Science Company

Trademark of Société des Produits Nestlé S.A. ©2021 All rights reserved. Société des Produits Nestlé S.A. Vitaflo International Ltd Suite 1.11, South Harrington Building, 182 Sefton St, Brunswick Business Park, Liverpool, L3 4BQ, UK +44(0)151 709 9020 vitaflo@vitaflo.co.uk www.vitafloweb.com