

Description

FOOD FOR SPECIAL MEDICAL PURPOSES

Renastep is a ready to use high energy, low volume liquid feed containing protein, carbohydrate, fat, vitamins, minerals, trace elements and docosahexaenoic acid (DHA), with low levels of potassium, phosphorus, calcium, chloride and vitamin A. Renastep has a vanilla flavour.

Indication

Renastep is for the dietary management of kidney disease from 3 years of age onwards.

Dosage and Administration

To be determined by the clinician or dietitian and is dependent on the age, body weight and medical condition of the patient.

Preparation Guidelines

Suitable to be taken orally or via an enteral feeding tube as determined by the clinician or dietitian. Shake before use. If taken orally it is best served chilled.

Important Notice

Use under medical supervision. Not suitable for use as a sole source of nutrition. Suitable from 3 years of age onwards.

Regular monitoring of nutritional status and electrolyte levels is required. For enteral use only.

Ingredients

Water, Glucose Syrup, Vegetable Oil (High Oleic Sunflower, Sunflower, Rapeseed), Milk Proteins, Emulsifier (E472c), Refined Tuna Oil (Fish), Stabilisers (E460, E466), Flavouring, Magnesium Citrate, Calcium Lactate, Choline Chloride, Sodium Chloride, Acidity Regulators (E525, E524), Trisodium Citrate, I-Ascorbic Acid, Ferric Pyrophosphate, Tripotassium Citrate, I-Carnitine L-Tartrate, Zinc Sulphate, Sodium Molybdate, Nicotinamide, Sodium Selenite, Copper Gluconate, Calcium D-Pantothenate, Vitamin D3 (Cholecalciferol), Manganese Sulphate, Vitamin A Acetate, D-Biotin, Vitamin B12 (Cyanocobalamin), Folic Acid, Pyridoxine Hydrochloride, Chromium Chloride, Potassium Iodide, Riboflavin, Thiamin Mononitrate, Vitamin K1.

Nutritional Information

Nutritional informa	ation						
		Per 100ml	Per bottle (125ml)			Per 100ml	Per bottle (125ml)
Energy	kJ	836	1045	Minerals			
	kcal	200	250	Sodium	mg	84	105
Fat	g	11.1	14		mmo	I 3.6	4.5
of which saturates	g	1.7	2.1	Potassium	mg	35	44
monounsaturates	g	7.8	9.8		mmo	0.9	1.1
polyunsaturates	g	1.1	1.4	Chloride	mg	60	75
Alpha linolenic acid	mg	125	156		mmo	1.7	2.1
Docosahexaenoic acid				Calcium	mg	47	59
(DHA)	mg	40	50		mmo	I 1.2	1.5
Linoleic acid	mg	1000	1250	Phosphorus	mg	35	44
Carbohydrate	g	21.0	26		mmo	I 1.1	1.4
of which sugars	g	3.4	4.3	Magnesium	mg	15	19
Protein	g	4.0	5.0		mmo	I 0.6	0.8
Salt	g	0.21	0.26	Trace Elements			
Vitamins				Iron	mg	2.0	2.5
Vitamin A (RE)	μg	39	49	Zinc	mg	1.2	1.5
Vitamin D	μg	1.6	2.0	Copper	mg	0.12	0.15
Vitamin E (αTE)	mg	3.6	4.5	Manganese	mg	0.20	0.25
Vitamin K	μg	7.0	8.8	Selenium	μg	5.0	6.3
Vitamin C	mg	8.0	10.0	Chromium	μg	2.5	3.1
Thiamin	mg	0.12	0.15	Molybdenum	μg	7.0	8.8
Riboflavin	mg	0.16	0.20	lodine	μg	18	23
Niacin	mg	1.37	1.7	Others			
(Niacin Eq)	mg	(2.2)	(2.8)	L-Carnitine	mg	4.0	5.0
Vitamin B6	mg	0.21	0.26	Choline	mg	40	50
Folic acid	μg	25	31	Osmolality	600m	Osm/kg	
Vitamin B12	μg	0.4	0.50				
Biotin	μg	4.0	5.0				
Pantothenic acid	mg	0.6	0.75				

Allergen Declaration

Contains **Milk** (milk protein) Contains **Fish** (tuna oil)

Storage

Renastep should be stored in a cool dry place. Opened: Once opened recap and refrigerate. Discard any feed after 24 hours.

Pack Size/Weight

24 x 125ml ← 3.0 L



