



ACBS 🗸 GMS 🗸 PBS 🗸

Description

Food for special medical purposes

K.Quik is a ready to use, liquid emulsion of medium chain triglycerides (MCT). With sweetener.

Indications

For the dietary management of conditions requiring a source of medium chain triglycerides (MCT) including use in the ketogenic diet.

Recommended Intake and Administration

To be determined by the clinician or dietitian and is dependent on the age, body weight and medical condition of the patient.

Preparation Guidelines

Shake well before use.

Best served chilled.

Further serving suggestions and recipes for K.Quik are available on request.

IMPORTANT NOTICE

Use under medical supervision.

Not suitable for use as a sole source of nutrition.

Suitable from 3 years of age onwards.

Not suitable for people with medium chain acyl-CoA dehydrogenase deficiency (MCADD).

For enteral use only.

Nutritional Information

		per 100ml	per 225ml (1 bottle)			per 100ml	per 225ml (1 bottle)
Energy	kJ	777	1750	Protein	g	0	0
	kcal	189	426	Salt	g	0.13	0.29
Fat	g	21	47.3	Minerals			
of which				Sodium	mg	52	117
saturates	g	19.8	44.6		mmol	2.2	5.0
MCT *	g	20	45	Chloride	mg	60	135
LCT **	g	1.0	2.3		mmol	1.7	3.8
Carbohydrate	g	0	0	Osmolality			
of which sugars g		0	0	50 m0sm/Kg	I		
·	_			Osmolarity			
				40 m0sm/L			

^{*}Medium Chain Triglycerides

Ingredients

Water, Medium Chain Triglyceride (MCT) Oil, Emulsifiers (E472c, E471), Sodium Chloride, Antioxidant (E307), Artificial Sweetener (Sucralose).

Storage

Unopened: Store in a cool dry place.

Once opened: Recap unused portion, refrigerate and use within 48 hours.

Packaged in a protective atmosphere.

Pack Size/Weight

15 x 225ml ← bottles = 3.37 L

Flavour

Unflavoured

Sample Box

 $2 \times 225 \text{ml} = 450 \text{ml}$ 1 measuring cup





^{**}Long Chain Triglycerides