



ACBS 🗸 GMS 🗸 PBS 🗸

Description

Food for special medical purposes

Betaquik is a ready to use, liquid emulsion of medium chain triglycerides (MCT). With sweetener

Indications

For the dietary management of conditions requiring a source of MCT including use in the ketagenic diet.

Dosage and Administration

To be determined by the clinician or dietitian and is dependent on the age, body weight and medical condition of the patient.

Preparation Guidelines

Shake well before use.

Best served chilled.

Betaquik can be used in a similar way to milk:

- As a drink.
- With permitted flavourings.
- Added to hot drinks e.g. tea, coffee.
- On permitted cereal.
- · In permitted recipes.

Further serving suggestions and recipes for betaquik are available on request or visit www.myketogenicdiet.com.

IMPORTANT NOTICE

Must only be used under strict medical supervision

Suitable from 3 years of age

For enteral use only

Not for use as a sole source of nutrition

Nutritional Information

		per 100ml	per 225ml (1 bottle)			per 100ml	per 225ml (1 bottle)
Energy	kJ	777	1750	Protein	g	0	0
	kcal	189	426	Salt	g	0.13	0.29
Fat	g	21	47.3	Minerals			
of which saturates	g	19.8	44.6	Sodium	mg	52	117
LCT	g	1.0	2.3		mmol	2.2	5.0
MCT	g	20	45	Chloride	mg	60	135
Carbohydrate	g	0	0		mmol	1.7	3.8
of which sugars	g	0	0				

Osmolality

50 mOsm/Kg

Storage

Store in a cool dry place.
Once opened keep refrigerated and use within 2 days.

Pack Size/Weight

15 x 225ml ← bottles = 3.37 L

Flavour

Unflavoured

Sample box

 $2 \times 225 \text{ml} e = 450 \text{ml}$

1 measuring cup



